

MATERIAL SAFETY DATA SHEET

Silky Soft

SECTION 1: Product Identification

Product Name: Silky Soft
Chemical family: Cationic Surfactants
Common or Trade Name: Texture Enhancer
Formula: Proprietary
Description: Clear Liquid, Lemon Fragrance

SECTION 2: Hazardous Rating (NFPA 704 Criteria)

		Hazard Rating Scale:
		4= Severe
Health:	1	3=Serious
Fire:	0	2=Moderate
Reactivity:	0	1=Slight
Special:	0	0=Minimal

SECTION 3: Hazardous Ingredients	TLV(TWA)	TLV(STEL)	BASIS
Cationic Surfactant (CAS 68424-85-1)	1000PPM		ACGIH
Dimethylcarbinol (CAS 67-63-0)	200PPM	400PP	ACGIH
Essential Oils	Generally Recognized As Safe		

SECTION 4: Fire and Explosion Data

Flash Point: Not Determined
Flammable Limits: Not Determined
Extinguishing Media: Use appropriate extinguishing media for material that is supplying fuel
Special Fire Fighting Procedures: Not Applicable

SECTION 5: Health Hazard Data

Effects of overexposure:
A. Eye contact: Burning feeling and irritation
B. Ingestion: Gastric irritation
C. Inhalation: May produce dizziness and headache
D. Skin Contact: Skin irritant

Carcinogenicity: Not listed as a carcinogen by I.A.R.D., N.T.P., O.S.H.A., or A.C.G.I.H.

MATERIAL SAFETY DATA SHEET

Silky Soft

(page 2)

SECTION 6: Emergency First Aid Procedures

- A. Eye Contact: Flush with water for 15 minutes, if irritation persists, seek medical care.
- B. Ingestion: Drink Plenty of Water. Do Not Induce vomiting. Seek medical care.
- C. Inhalation: remove to fresh air, if problem continues seek medical care.
- D. Skin contact: Flush with large amounts of water, if problem continues seek medical care.

SECTION 7: Handling Procedures

- A. Protective equipment
 - Eyes: Do not spray in eyes, goggles may be used.
 - Skin: Chemical resistant gloves may be used if hypersensitive to product. Avoid prolonged contact with skin. Remove and wash soaked clothing or shoes.
- B. Storage: Keep containers from freezing, store away from oxidizing materials, keep tightly sealed.
- C. Ventilation requirements: Provide for ventilation (HVAC system, cross breeze, fans, etc.) During application and thereafter until areas are completely dry.

SECTION 8: Spill or Leakage control Procedures

Absorb liquid with a noncombustible absorbent such as clay or vermiculite. Place in drums for proper disposal. Dispose of in a facility approved under EPA regulations. Keep this, and all other chemicals out of surface waters, storm sewers and other waterways entering or leading to ground and surface waters.

SECTION 9: Physical data

The following data is approximate or typical values and should not be used for precise purposes or product specification.

- Melting point: Not Applicable
- Vapor Pressure: Not Determined
- Volatiles: Less than 10%
- Boiling Point: 212- F
- Solubility in Water: 100%
- Evaporation Rate: Not Determined
- Specific Gravity (H₂O = 1): 1
- pH: 6.5 to 8
- Vapor Density (air = 1): Not Determined

MATERIAL SAFETY DATA SHEET

Silky Soft

(page 3)

SECTION 10: Reactivity Data

Stability: Stable
Hazardous polymerization: Will not occur
Conditions to avoid: Not Applicable
Incompatibility: Strong Oxidizing Agent
Hazardous decomposition products: Nitrous Oxides and Ammoniacal Vapors

Inventories: All components of this product are listed on the EPA's TSCA inventory.

The information in this Material Safety Data Sheet is drawn from recognized sources believed to be reliable but is provided with warranty.

The user must determine safe condition and assume liability for and loss, injury, damage, or expense resulting from use of this product.

Prepared by: Chem Max@Corp. • (231)798-7980 Date: 03/2009

CHEM MAX CORP @ 6479 NORTON CENTER DR, NORTON SHORES MI 49441